

Adamczyk, W. M., Budzisz, A., Saulicz, O., Szikszay, T. M., Saulicz, E., & Luedtke, K. (2019). Tactile Precision Remains Intact When Acute Neck Pain Is Induced. *J Pain*, *20*(9), 1070-1079. doi: 10.1016/j.jpain.2019.03.006

Adamczyk, W. M., Buglewicz, E., Szikszay, T. M., Luedtke, K., & Babel, P. (2019). Reward for Pain: Hyperalgesia and Allodynia Induced by Operant Conditioning: Systematic Review and Meta-Analysis. *J Pain*, *20*(8), 861-875. doi: 10.1016/j.jpain.2019.01.009

Adamczyk, W. M., Luedtke, K., & Szikszay, T. M. (2018). Two-point discrimination and the low back pain: Not as unreliable as it seems, but what about standardised procedures? *Musculoskelet Sci Pract*, *35*, e110-e111. doi: 10.1016/j.msksp.2018.03.007

Aebischer, B., Hill, J. C., Hilfiker, R., & Karstens, S. (2015). German Translation and Cross-Cultural Adaptation of the STarT Back Screening Tool. *PLoS One*, *10*(7), e0132068. doi: 10.1371/journal.pone.0132068

Afshar, K., Muller-Mundt, G., van Baal, K., Schrader, S., Wiese, B., Bleidorn, J., . . . Schneider, N. (2019). Optimal care at the end of life (OPAL): study protocol of a prospective interventional mixed-methods study with pretest-posttest-design in a primary health care setting considering the view of general practitioners, relatives of deceased patients and health care stakeholders. *BMC Health Serv Res*, *19*(1), 486. doi: 10.1186/s12913-019-4321-9

Albert, F., Diermayr, G., McIsaac, T. L., & Gordon, A. M. (2010). Coordination of grasping and walking in Parkinson's disease. *Exp Brain Res*, *202*(3), 709-721. doi: 10.1007/s00221-010-2179-5

Alfuth, M., & Hahm, M. M. (2016). RELIABILITY, COMPARABILITY, AND VALIDITY OF FOOT INVERSION AND EVERSION STRENGTH MEASUREMENTS USING A HAND-HELD DYNAMOMETER. *Int J Sports Phys Ther*, *11*(1), 72-84.

Andrees, V., Westenhofer, J., Blome, C., Heesen, C., Augustin, M., & Topp, J. (2019). Towards patients' understanding of health-related quality of life-a mixed-method study in psoriasis and multiple sclerosis. *Qual Life Res*, *28*(10), 2717-2729. doi: 10.1007/s11136-019-02227-4

Apeldoorn, A. T., Den Arend, M. C., Schuitemaker, R., Egmond, D., Hekman, K., Van Der Ploeg, T., . . . Ostelo, R. W. (2019). Interrater agreement and reliability of clinical tests for assessment of patients with shoulder pain in primary care. *Physiother Theory Pract*, 1-20. doi: 10.1080/09593985.2019.1587801

Baessler, K., & Junginger, B. (2017). Traditional Gymnastic Exercises for the Pelvic Floor Often Lead to Bladder Neck Descent - a Study Using Perineal Ultrasound. *Geburtshilfe Frauenheilkd*, *77*(7), 765-770. doi: 10.1055/s-0043-103460

Ballenberger, N., Lluís, A., von Mutius, E., Illi, S., & Schaub, B. (2012). Novel statistical approaches for non-normal censored immunological data: analysis of cytokine and gene expression data. *PLoS One*, *7*(10), e46423. doi: 10.1371/journal.pone.0046423

Ballenberger, N., Moller, D., & Zalpour, C. (2018). Musculoskeletal Health Complaints and Corresponding Risk Factors Among Music Students: Study Process, Analysis Strategies, and

Interim Results from a Prospective Cohort Study. *Med Probl Perform Art*, 33(3), 166-174. doi: 10.21091/mppa.2018.3023

Ballenberger, N., von Piekartz, H., Danzeisen, M., & Hall, T. (2018). Patterns of cervical and masticatory impairment in subgroups of people with temporomandibular disorders-an explorative approach based on factor analysis. *Cranio*, 36(2), 74-84. doi: 10.1080/08869634.2017.1297904

Ballenberger, N., von Piekartz, H., Paris-Aleman, A., La Touche, R., & Angulo-Diaz-Parreno, S. (2012). Influence of different upper cervical positions on electromyography activity of the masticatory muscles. *J Manipulative Physiol Ther*, 35(4), 308-318. doi: 10.1016/j.jmpt.2012.04.020

Balzer, J., Marsico, P., Mitteregger, E., van der Linden, M. L., Mercer, T. H., & van Hedel, H. J. (2016). Construct validity and reliability of the Selective Control Assessment of the Lower Extremity in children with cerebral palsy. *Dev Med Child Neurol*, 58(2), 167-172. doi: 10.1111/dmcn.12805

Balzer, J., Marsico, P., Mitteregger, E., van der Linden, M. L., Mercer, T. H., & van Hedel, H. J. A. (2018). Influence of trunk control and lower extremity impairments on gait capacity in children with cerebral palsy. *Disabil Rehabil*, 40(26), 3164-3170. doi: 10.1080/09638288.2017.1380719

Balzer, J., van der Linden, M. L., Mercer, T. H., & van Hedel, H. J. A. (2017). Selective voluntary motor control measures of the lower extremity in children with upper motor neuron lesions: a systematic review. *Dev Med Child Neurol*, 59(7), 699-705. doi: 10.1111/dmcn.13417

Banzer, W., Thiel, C., Rosenhagen, A., & Vogt, L. (2009). Tennis ranking related to exercise capacity. *BMJ Case Rep*, 2009. doi: 10.1136/bcr.09.2008.0965

Baum, S., van Kampen, H., Ballenberger, N., & von Piekartz, H. (2019). [Do Changes in Dental Occlusion Influence the Rehabilitation of a Glenohumeral Internal Rotation Deficit (GIRD) in Professional Female Volleyball Players? A Pilot Study]. *Sportverletz Sportschaden*, 33(3), 160-171. doi: 10.1055/a-0753-2796

Baunsgaard, C. B., Nissen, U. V., Brust, A. K., Frotzler, A., Ribeill, C., Kalke, Y. B., . . . Biering-Sorensen, F. (2018). Exoskeleton gait training after spinal cord injury: An exploratory study on secondary health conditions. *J Rehabil Med*, 50(9), 806-813. doi: 10.2340/16501977-2372

Baur, K., Rohrbach, N., Hermsdorfer, J., Riener, R., & Klamroth-Marganska, V. (2019). The "Beam-Me-In Strategy" - remote haptic therapist-patient interaction with two exoskeletons for stroke therapy. *J Neuroeng Rehabil*, 16(1), 85. doi: 10.1186/s12984-019-0547-3

Beales, D., Fary, R., Little, C., Nambiar, S., Sveinall, H., Yee, Y. L., . . . Mitchell, T. (2017). Characterisation of pain in people with hereditary neuropathy with liability to pressure palsy. *J Neurol*, 264(12), 2464-2471. doi: 10.1007/s00415-017-8648-z

- Bernhorster, M., Rosenhagen, A., Vogt, L., Thiel, C., Jager, E., & Banzer, W. (2011). Marathon run under chemotherapy: is it possible? *Onkologie*, *34*(5), 259-261. doi: 10.1159/000327804
- Borgetto, B. (2005). [Nursing and self-help in the context of chronic illness and disability]. *Pflege*, *18*(5), 313-319. doi: 10.1024/1012-5302.18.5.313
- Bossert, S., Kahraass, H., & Strech, D. (2018). The Public's Awareness of and Attitude Toward Research Biobanks - A Regional German Survey. *Front Genet*, *9*, 190. doi: 10.3389/fgene.2018.00190
- Braun, C., Hanchard, N. C., Batterham, A. M., Handoll, H. H., & Betthausen, A. (2016). Prognostic Models in Adults Undergoing Physical Therapy for Rotator Cuff Disorders: Systematic Review. *Phys Ther*, *96*(7), 961-971. doi: 10.2522/ptj.20150475
- Braun, C., Hanchard, N. C., Handoll, H. H., & Betthausen, A. (2018). Predicting the outcome of conservative treatment with physiotherapy in adults with shoulder pain associated with partial-thickness rotator cuff tears - a prognostic model development study. *BMC Musculoskelet Disord*, *19*(1), 329. doi: 10.1186/s12891-018-2239-8
- Braun, C., & Handoll, H. H. (2018). Estimating the Minimal Important Difference for the Western Ontario Rotator Cuff Index (WORC) in adults with shoulder pain associated with partial-thickness rotator cuff tears. *Musculoskelet Sci Pract*, *35*, 30-33. doi: 10.1016/j.msksp.2018.02.003
- Braun, C., & McRobert, C. J. (2019). Conservative management following closed reduction of traumatic anterior dislocation of the shoulder. *Cochrane Database Syst Rev*, *5*, CD004962. doi: 10.1002/14651858.CD004962.pub4
- Braun, T., Ehrenbrusthoff, K., Bahns, C., Happe, L., & Kopkow, C. (2019). Cross-cultural adaptation, internal consistency, test-retest reliability and feasibility of the German version of the evidence-based practice inventory. *BMC Health Serv Res*, *19*(1), 455. doi: 10.1186/s12913-019-4273-0
- Braun, T., Gruneberg, C., Coppers, A., Tofaute, L., & Thiel, C. (2018). Comparison of the de Morton Mobility Index and Hierarchical Assessment of Balance and Mobility in older acute medical patients. *J Rehabil Med*, *50*(3), 292-301. doi: 10.2340/16501977-2320
- Braun, T., Gruneberg, C., Sussmilch, K., Wiessmeier, M., Schwenk, I., Eggert, S., . . . Thiel, C. (2019). An augmented prescribed exercise program (APEP) to improve mobility of older acute medical patients - a randomized, controlled pilot and feasibility trial. *BMC Geriatr*, *19*(1), 240. doi: 10.1186/s12877-019-1246-4
- Braun, T., Gruneberg, C., & Thiel, C. (2018). German translation, cross-cultural adaptation and diagnostic test accuracy of three frailty screening tools : PRISMA-7, FRAIL scale and Groningen Frailty Indicator. *Z Gerontol Geriatr*, *51*(3), 282-292. doi: 10.1007/s00391-017-1295-2
- Braun, T., Gruneberg, C., Thiel, C., & Schulz, R. J. (2018). Measuring mobility in older hospital patients with cognitive impairment using the de Morton Mobility Index. *BMC Geriatr*, *18*(1), 100. doi: 10.1186/s12877-018-0780-9

Braun, T., Marks, D., & Thiel, C. (2018). Comment on 'Lee Silverman Voice Treatment (LSVT)-BIG to improve motor function in people with Parkinson's disease: a systematic review and meta-analysis'. *Clin Rehabil*, *32*(9), 1284-1285. doi: 10.1177/0269215518769436

Braun, T., Marks, D., Thiel, C., & Gruneberg, C. (2019). Reliability and validity of the de Morton Mobility Index in individuals with sub-acute stroke. *Disabil Rehabil*, *41*(13), 1561-1570. doi: 10.1080/09638288.2018.1430176

Braun, T., Marks, D., Thiel, C., Zietz, D., Zutter, D., & Gruneberg, C. (2016). Effects of additional, dynamic supported standing practice on functional recovery in patients with sub-acute stroke: a randomized pilot and feasibility trial. *Clin Rehabil*, *30*(4), 374-382. doi: 10.1177/0269215515584801

Braun, T., Marks, D., Zutter, D., & Gruneberg, C. (2015). The impact of rollator loading on gait and fall risk in neurorehabilitation - a pilot study. *Disabil Rehabil Assist Technol*, *10*(6), 475-481. doi: 10.3109/17483107.2014.926568

Braun, T., Pukropski, J., Yeniguen, M., El-Shazly, J., Schoenburg, M., Gerriets, T., . . . Juenemann, M. (2019). Inter- and intra-rater reliability of computer-assisted planimetry in experimental stroke research. *J Neurosci Methods*, *312*, 12-15. doi: 10.1016/j.jneumeth.2018.11.012

Braun, T., Rieckmann, A., Gruneberg, C., Marks, D., & Thiel, C. (2016). [Hierarchical assessment of balance and mobility : German translation and cross-cultural adaptation]. *Z Gerontol Geriatr*, *49*(5), 386-397. doi: 10.1007/s00391-016-1026-0

Braun, T., Rieckmann, A., Weber, F., & Gruneberg, C. (2018). Current use of measurement instruments by physiotherapists working in Germany: a cross-sectional online survey. *BMC Health Serv Res*, *18*(1), 810. doi: 10.1186/s12913-018-3563-2

Braun, T., Schulz, R. J., Reinke, J., van Meeteren, N. L., de Morton, N. A., Davidson, M., . . . Gruneberg, C. (2015). Reliability and validity of the German translation of the de Morton Mobility Index (DEMMI) performed by physiotherapists in patients admitted to a sub-acute inpatient geriatric rehabilitation hospital. *BMC Geriatr*, *15*, 58. doi: 10.1186/s12877-015-0035-y

Braun, T., Thiel, C., Schulz, R. J., & Gruneberg, C. (2017). [Diagnosis and Treatment of Physical Frailty]. *Dtsch Med Wochenschr*, *142*(2), 117-122. doi: 10.1055/s-0042-101631

Braun, T., Thiel, C., Schulz, R. J., & Gruneberg, C. (2019). Reliability of mobility measures in older medical patients with cognitive impairment. *BMC Geriatr*, *19*(1), 20. doi: 10.1186/s12877-019-1036-z

Braun, T., Thiel, C., Ziller, C., Rasche, J., Bahns, C., Happe, L., . . . Gruneberg, C. (2019). Prevalence of frailty in older adults in outpatient physiotherapy in an urban region in the western part of Germany: a cross-sectional study. *BMJ Open*, *9*(6), e027768. doi: 10.1136/bmjopen-2018-027768

Brunahl, C. A., Klotz, S. G. R., Dybowski, C., Riegel, B., Gregorzik, S., Tripp, D. A., . . . Lowe, B. (2018). Combined Cognitive-Behavioural and Physiotherapeutic Therapy for

Patients with Chronic Pelvic Pain Syndrome (COMBI-CPPS): study protocol for a controlled feasibility trial. *Trials*, 19(1), 20. doi: 10.1186/s13063-017-2387-4

Buchbinder, R., Page, M. J., Huang, H., Verhagen, A. P., Beaton, D., Kopkow, C., . . . Gagnier, J. J. (2017). A Preliminary Core Domain Set for Clinical Trials of Shoulder Disorders: A Report from the OMERACT 2016 Shoulder Core Outcome Set Special Interest Group. *J Rheumatol*, 44(12), 1880-1883. doi: 10.3899/jrheum.161123

Chalavi, S., Pauwels, L., Heise, K. F., Zivari Adab, H., Maes, C., Puts, N. A. J., . . . Swinnen, S. P. (2018). The neurochemical basis of the contextual interference effect. *Neurobiol Aging*, 66, 85-96. doi: 10.1016/j.neurobiolaging.2018.02.014

Crawford, R., Gizzi, L., Dieterich, A., Ni Mhuiris, A., & Falla, D. (2018). Age-related changes in trunk muscle activity and spinal and lower limb kinematics during gait. *PLoS One*, 13(11), e0206514. doi: 10.1371/journal.pone.0206514

Dennis, D., Tampin, B., Jacques, A., Hebden-Todd, T., Carter, V., McLintock, M., . . . Cooper, I. (2018). The prevalence of back pain in patients in one Australian tertiary hospital population. *Musculoskeletal Care*, 16(1), 112-117. doi: 10.1002/msc.1219

Diermayr, G., Gysin, P., Hass, C. J., & Gordon, A. M. (2008). Grip force control during gait initiation with a hand-held object. *Exp Brain Res*, 190(3), 337-345. doi: 10.1007/s00221-008-1476-8

Diermayr, G., Schachner, H., Eidenberger, M., Lohkamp, M., & Salbach, N. M. (2015). Evidence-based practice in physical therapy in Austria: current state and factors associated with EBP engagement. *J Eval Clin Pract*, 21(6), 1219-1234. doi: 10.1111/jep.12415

Dieterich, A. V., Deshon, L., Pickard, C. M., Strauss, G. R., & McKay, J. (2014). Separate assessment of gluteus medius and minimus: B-mode or M-mode ultrasound? *Physiother Theory Pract*, 30(6), 438-443. doi: 10.3109/09593985.2014.890261

Dieterich, A. V., Pickard, C. M., Deshon, L. E., Strauss, G. R., Gibson, W., Davey, P., & McKay, J. (2015). M-mode ultrasound used to detect the onset of deep muscle activity. *J Electromyogr Kinesiol*, 25(2), 224-231. doi: 10.1016/j.jelekin.2014.12.006

Dieterich, A. V., Pickard, C. M., Strauss, G. R., Deshon, L. E., Gibson, W., & McKay, J. (2014). Muscle thickness measurements to estimate gluteus medius and minimus activity levels. *Man Ther*, 19(5), 453-460. doi: 10.1016/j.math.2014.04.014

Dietrich, U., Thummler, K., Schutte, U., Walter, M., & Kirch, W. (2010). [Memorandum III "methods for health services research", Part 1 [authors: H. Pfaff, G. Glaeske, E. A. M. Neugebauer, M. Schrappe] and Part 2 [authors: E. A. M. Neugebauer, A. Icks, M. Schrappe] of the Deutsches Netzwerk Versorgungsforschung e.V.: A summary]. *Med Klin (Munich)*, 105(12), 924-929. doi: 10.1007/s00063-010-1158-8

Ehrenbrusthoff, K., Ryan, C. G., Gruneberg, C., & Martin, D. J. (2018). Reply to the letter to the editor YMATH_2018_15:"Two-point discrimination and the low back pain: Not as unreliable as it seems, but what about standardised procedures?" regarding our article MSKSP_168:"A systematic review and meta-analysis of the reliability and validity of

sensorimotor measurement instruments in people with chronic low back pain". *Musculoskelet Sci Pract*, 35, e112-e113. doi: 10.1016/j.msksp.2018.04.003

Ehrenbrusthoff, K., Ryan, C. G., Gruneberg, C., & Martin, D. J. (2018). A systematic review and meta-analysis of the reliability and validity of sensorimotor measurement instruments in people with chronic low back pain. *Musculoskelet Sci Pract*, 35, 73-83. doi: 10.1016/j.msksp.2018.02.007

Ehrenbrusthoff, K., Ryan, C. G., Gruneberg, C., Wand, B. M., & Martin, D. J. (2018). The translation, validity and reliability of the German version of the Fremantle Back Awareness Questionnaire. *PLoS One*, 13(10), e0205244. doi: 10.1371/journal.pone.0205244

Elsner, B. (2018). Systematic reviews for informing clinical practice. *Physiother Res Int*, 23(1). doi: 10.1002/pri.1703

Elsner, B., Kugler, J., & Mehrholz, J. (2018). Transcranial direct current stimulation (tDCS) for upper limb rehabilitation after stroke: future directions. *J Neuroeng Rehabil*, 15(1), 106. doi: 10.1186/s12984-018-0459-7

Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2013). Transcranial direct current stimulation (tDCS) for improving aphasia in patients after stroke. *Cochrane Database Syst Rev*(6), CD009760. doi: 10.1002/14651858.CD009760.pub2

Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2013). Transcranial direct current stimulation (tDCS) for improving function and activities of daily living in patients after stroke. *Cochrane Database Syst Rev*(11), CD009645. doi: 10.1002/14651858.CD009645.pub2

Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2015). Transcranial direct current stimulation (tDCS) for improving aphasia in patients with aphasia after stroke. *Cochrane Database Syst Rev*(5), CD009760. doi: 10.1002/14651858.CD009760.pub3

Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2016). Transcranial direct current stimulation (tDCS) for idiopathic Parkinson's disease. *Cochrane Database Syst Rev*, 7, CD010916. doi: 10.1002/14651858.CD010916.pub2

Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2016). Transcranial direct current stimulation (tDCS) for improving activities of daily living, and physical and cognitive functioning, in people after stroke. *Cochrane Database Syst Rev*, 3, CD009645. doi: 10.1002/14651858.CD009645.pub3

Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2016). Transcranial direct current stimulation for improving idiopathic Parkinson's syndrome. An abridged version of a Cochrane review. *Eur J Phys Rehabil Med*, 52(6), 902-906.

Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2016). Transcranial direct current stimulation for improving spasticity after stroke: A systematic review with meta-analysis. *J Rehabil Med*, 48(7), 565-570. doi: 10.2340/16501977-2097

Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2019). Transcranial direct current stimulation (tDCS) for improving aphasia in adults with aphasia after stroke. *Cochrane Database Syst Rev*, 5, CD009760. doi: 10.1002/14651858.CD009760.pub4

- Elsner, B., Kugler, J., Pohl, M., & Mehrholz, J. (2019). Transcranial Direct Current Stimulation for Improving Aphasia After Stroke. *Stroke*, *50*(9), e248-e249. doi: 10.1161/strokeaha.119.026486
- Elsner, B., Kwakkel, G., Kugler, J., & Mehrholz, J. (2017). Transcranial direct current stimulation (tDCS) for improving capacity in activities and arm function after stroke: a network meta-analysis of randomised controlled trials. *J Neuroeng Rehabil*, *14*(1), 95. doi: 10.1186/s12984-017-0301-7
- Elsner, B., Scholer, A., Kon, T., & Mehrholz, J. (2019). Walking with rhythmic auditory stimulation in chronic patients after stroke: A pilot randomized controlled trial. *Physiother Res Int*, e1800. doi: 10.1002/pri.1800
- Elsner, B., Schweder, S., & Mehrholz, J. (2018). Immediate effects of rest periods on balance control in patients after stroke. A randomized controlled pilot trial. *BMC Res Notes*, *11*(1), 338. doi: 10.1186/s13104-018-3450-2
- Falla, D., Gizzi, L., Parsa, H., Dieterich, A., & Petzke, F. (2017). People With Chronic Neck Pain Walk With a Stiffer Spine. *J Orthop Sports Phys Ther*, *47*(4), 268-277. doi: 10.2519/jospt.2017.6768
- Folsch, C., Schlogel, S., Lakemeier, S., Wolf, U., Timmesfeld, N., & Skwara, A. (2012). Test-retest reliability of 3D ultrasound measurements of the thoracic spine. *PM R*, *4*(5), 335-341. doi: 10.1016/j.pmrj.2012.01.009
- Forbes, H., Thrussell, S., Haycock, N., Lohkamp, M., & White, M. (2013). The effect of prophylactic ankle support during simulated soccer activity. *J Sport Rehabil*, *22*(3), 170-176.
- Foster, C., de Koning, J. J., Thiel, C., Versteeg, B., Boullosa, D. A., Bok, D., & Porcari, J. P. (2019). Beating Yourself: How Do Runners Improve Their Own Records? *Int J Sports Physiol Perform*, 1-10. doi: 10.1123/ijsp.2019-0261
- Fujiyama, H., Van Soom, J., Rens, G., Cuypers, K., Heise, K. F., Levin, O., & Swinnen, S. P. (2016). Performing two different actions simultaneously: The critical role of interhemispheric interactions during the preparation of bimanual movement. *Cortex*, *77*, 141-154. doi: 10.1016/j.cortex.2016.02.007
- Gabrys, L., Michallik, L., Thiel, C., Vogt, L., & Banzer, W. (2013). Effects of a structured physical-activity counseling and referral scheme in long-term unemployed individuals: a pilot accelerometer study. *Behav Med*, *39*(2), 44-50. doi: 10.1080/08964289.2013.782852
- Gassner, H., Steib, S., Klamroth, S., Pasluosta, C. F., Adler, W., Eskofier, B. M., . . . Klucken, J. (2019). Perturbation Treadmill Training Improves Clinical Characteristics of Gait and Balance in Parkinson's Disease. *J Parkinsons Dis*, *9*(2), 413-426. doi: 10.3233/jpd-181534
- Geidl, W., Deprins, J., Streber, R., Rohrbach, N., Sudeck, G., & Pfeifer, K. (2018). Exercise therapy in medical rehabilitation: Study protocol of a national survey at facility and practitioner level with a mixed method design. *Contemp Clin Trials Commun*, *11*, 37-45. doi: 10.1016/j.conctc.2018.05.004

- Gerschke, M., Schottker-Koniger, T., Forster, A., Netzebandt, J. F., & Beushausen, U. M. (2019). Validation of the German Version of the Yale Pharyngeal Residue Severity Rating Scale. *Dysphagia*, 34(3), 308-314. doi: 10.1007/s00455-018-9935-2
- Girbig, M., Deckert, S., Kopkow, C., Latza, U., Dulon, M., Nienhaus, A., . . . Seidler, A. (2013). Work-related complaints and diseases of physical therapists - protocol for the establishment of a "Physical Therapist Cohort" (PTC) in Germany. *J Occup Med Toxicol*, 8(1), 34. doi: 10.1186/1745-6673-8-34
- Girbig, M., Freiberg, A., Deckert, S., Druschke, D., Kopkow, C., Nienhaus, A., & Seidler, A. (2017). Work-related exposures and disorders among physical therapists: experiences and beliefs of professional representatives assessed using a qualitative approach. *J Occup Med Toxicol*, 12, 2. doi: 10.1186/s12995-016-0147-0
- Greisberger, A., Aviv, H., Garbade, S. F., & Diermayr, G. (2016). Clinical relevance of the effects of reach-to-grasp training using trunk restraint in individuals with hemiparesis poststroke: A systematic review. *J Rehabil Med*, 48(5), 405-416. doi: 10.2340/16501977-2077
- Haase, E., Kopkow, C., Beyer, F., Lutzner, J., Kirschner, S., Hartmann, A., . . . Gunther, K. P. (2016). Patient-reported outcomes and outcome predictors after primary total hip arthroplasty: results from the Dresden Hip Surgery Registry. *Hip Int*, 26(1), 73-81. doi: 10.5301/hipint.5000300
- Haase, E., Lange, T., Lutzner, J., Kopkow, C., Petzold, T., Gunther, K. P., & Schmitt, J. (2015). [Indication for total knee arthroplasty: evidence mapping]. *Z Evid Fortbild Qual Gesundheitswes*, 109(8), 605-614. doi: 10.1016/j.zefq.2015.09.029
- Hall, T., Coppieters, M. W., Nee, R., Schafer, A., & Ridehalgh, C. (2017). Neurodynamic treatment improves leg pain, back pain, function and global perceived effect at 4 weeks in patients with chronic nerve-related leg pain. *J Physiother*, 63(1), 59. doi: 10.1016/j.jphys.2016.09.001
- Haux, R., Hein, A., Kolb, G., Kunemund, H., Eichelberg, M., Appell, J. E., . . . Zokoll-van der Laan, M. (2014). Information and communication technologies for promoting and sustaining quality of life, health and self-sufficiency in ageing societies--outcomes of the Lower Saxony Research Network Design of Environments for Ageing (GAL). *Inform Health Soc Care*, 39(3-4), 166-187. doi: 10.3109/17538157.2014.931849
- Heise, K. F., Kortzorg, N., Saturnino, G. B., Fujiyama, H., Cuypers, K., Thielscher, A., & Swinnen, S. P. (2016). Evaluation of a Modified High-Definition Electrode Montage for Transcranial Alternating Current Stimulation (tACS) of Pre-Central Areas. *Brain Stimul*, 9(5), 700-704. doi: 10.1016/j.brs.2016.04.009
- Heise, K. F., Niehoff, M., Feldheim, J. F., Liuzzi, G., Gerloff, C., & Hummel, F. C. (2014). Differential behavioral and physiological effects of anodal transcranial direct current stimulation in healthy adults of younger and older age. *Front Aging Neurosci*, 6, 146. doi: 10.3389/fnagi.2014.00146
- Hellmers, S., Izadpanah, B., Dasenbrock, L., Diekmann, R., Bauer, J. M., Hein, A., & Fudickar, S. (2018). Towards an Automated Unsupervised Mobility Assessment for Older

People Based on Inertial TUG Measurements. *Sensors (Basel)*, 18(10). doi: 10.3390/s18103310

Hermans, L., Maes, C., Pauwels, L., Cuypers, K., Heise, K. F., Swinnen, S. P., & Leunissen, I. (2019). Age-related alterations in the modulation of intracortical inhibition during stopping of actions. *Aging (Albany NY)*, 11(2), 371-385. doi: 10.18632/aging.101741

Hirsch, T., Lampe, J., Michalk, K., Roder, L., Munsch, K., & Marquardt, J. (2019). [Subjective Gait Stability in the Elderly]. *Z Gerontol Geriatr*, 52(1), 17-22. doi: 10.1007/s00391-017-1288-1

Holzgreve, F., Maltry, L., Lampe, J., Schmidt, H., Bader, A., Rey, J., . . . Ohlendorf, D. (2018). The office work and stretch training (OST) study: an individualized and standardized approach for reducing musculoskeletal disorders in office workers. *J Occup Med Toxicol*, 13, 37. doi: 10.1186/s12995-018-0220-y

Jung, M., & Sappelt, C. (2015). [Respiratory therapeutic measures in mucoviscidosis in childhood]. *Kinderkrankenschwester*, 34(11), 422-425.

Jung, M. W., Landenberger, M., Jung, T., Lindenthal, T., & Philippi, H. (2017). Vojta therapy and neurodevelopmental treatment in children with infantile postural asymmetry: a randomised controlled trial. *J Phys Ther Sci*, 29(2), 301-306. doi: 10.1589/jpts.29.301

Kahrass, H., Strech, D., & Mertz, M. (2017). Ethical issues in obesity prevention for school children: a systematic qualitative review. *Int J Public Health*, 62(9), 981-988. doi: 10.1007/s00038-017-1027-9

Kaiser, U., Deckert, S., Kopkow, C., Schmitt, J., & Sabatowski, R. (2014). Dose or content? Effectiveness of pain rehabilitation programs for patients with chronic low back pain: A systematic review. Waterschoot et al., *Pain* 155 (2014) 179-189. *Pain*, 155(9), 1903-1904. doi: 10.1016/j.pain.2014.06.002

Kaiser, U., Kopkow, C., Deckert, S., Neustadt, K., Jacobi, L., Cameron, P., . . . Schmitt, J. (2018). Developing a core outcome domain set to assessing effectiveness of interdisciplinary multimodal pain therapy: the VAPAIN consensus statement on core outcome domains. *Pain*, 159(4), 673-683. doi: 10.1097/j.pain.0000000000001129

Kaiser, U., Kopkow, C., Deckert, S., Sabatowski, R., & Schmitt, J. (2015). Validation and application of a core set of patient-relevant outcome domains to assess the effectiveness of multimodal pain therapy (VAPAIN): a study protocol. *BMJ Open*, 5(11), e008146. doi: 10.1136/bmjopen-2015-008146

Kaiser, U., Neustadt, K., Kopkow, C., Schmitt, J., & Sabatowski, R. (2016). Core Outcome Sets and Multidimensional Assessment Tools for Harmonizing Outcome Measure in Chronic Pain and Back Pain. *Healthcare (Basel)*, 4(3). doi: 10.3390/healthcare4030063

Karstens, S., Hermann, K., Frobose, I., & Weiler, S. W. (2013). Predictors for half-year outcome of impairment in daily life for back pain patients referred for physiotherapy: a prospective observational study. *PLoS One*, 8(4), e61587. doi: 10.1371/journal.pone.0061587

Karstens, S., Joos, S., Hill, J. C., Krug, K., Szecsenyi, J., & Steinhauser, J. (2015). General Practitioners Views of Implementing a Stratified Treatment Approach for Low Back Pain in Germany: A Qualitative Study. *PLoS One*, *10*(8), e0136119. doi: 10.1371/journal.pone.0136119

Karstens, S., Krug, K., Raspe, H., Wunderlich, M., Hochheim, M., Joos, S., & Huppe, A. (2019). Prognostic ability of the German version of the STarT Back tool: analysis of 12-month follow-up data from a randomized controlled trial. *BMC Musculoskeletal Disord*, *20*(1), 94. doi: 10.1186/s12891-019-2467-6

Karstens, S., Kuithan, P., Joos, S., Hill, J. C., Wensing, M., Steinhauser, J., . . . Szecsenyi, J. (2018). Physiotherapists' views of implementing a stratified treatment approach for patients with low back pain in Germany: a qualitative study. *BMC Health Serv Res*, *18*(1), 214. doi: 10.1186/s12913-018-2991-3

Kemper, C., & Sauer, K. (2017). [Not Available]. *Gesundheitswesen*, *79*(3), 161. doi: 10.1055/s-0043-102138

Klamroth, S., Gassner, H., Winkler, J., Eskofier, B., Klucken, J., Pfeifer, K., & Steib, S. (2019). Interindividual Balance Adaptations in Response to Perturbation Treadmill Training in Persons With Parkinson Disease. *J Neurol Phys Ther*, *43*(4), 224-232. doi: 10.1097/npt.0000000000000291

Klamroth, S., Steib, S., Devan, S., & Pfeifer, K. (2016). Effects of Exercise Therapy on Postural Instability in Parkinson Disease: A Meta-analysis. *J Neurol Phys Ther*, *40*(1), 3-14. doi: 10.1097/npt.0000000000000117

Klamroth, S., Steib, S., Gassner, H., Gossler, J., Winkler, J., Eskofier, B., . . . Pfeifer, K. (2016). Immediate effects of perturbation treadmill training on gait and postural control in patients with Parkinson's disease. *Gait Posture*, *50*, 102-108. doi: 10.1016/j.gaitpost.2016.08.020

Kleine-Borgmann, J., Schmidt, K., Hellmann, A., & Bingel, U. (2019). Effects of open-label placebo on pain, functional disability and spine mobility in chronic back pain patients: a randomized controlled trial. *Pain*. doi: 10.1097/j.pain.0000000000001683

Klotz, S. G. R., Ketels, G., Lowe, B., & Brunahl, C. A. (2018). Myofascial Findings and Psychopathological Factors in Patients with Chronic Pelvic Pain Syndrome. *Pain Med*. doi: 10.1093/pm/pny097

Klotz Sgr Msc, P. H., Schon M Bsc, P. T., Ketels G Ba, P. H., Lowe, B. M., & Brunahl, C. M. (2019). Physiotherapy management of patients with chronic pelvic pain (CPP): A systematic review. *Physiother Theory Pract*, *35*(6), 516-532. doi: 10.1080/09593985.2018.1455251

Klotz, S. G. R., Petersen-Ewert, C., Ketels, G., Scherer, M., & Barzel, A. (2019). The German version of the Functional Walking Categories (FWC): translation and initial validation. *Top Stroke Rehabil*, *26*(1), 49-57. doi: 10.1080/10749357.2018.1536022

Koch, S. C., Mergheim, K., Raeke, J., Machado, C. B., Riegner, E., Nolden, J., . . . Hillecke, T. K. (2016). The Embodied Self in Parkinson's Disease: Feasibility of a Single Tango

- Intervention for Assessing Changes in Psychological Health Outcomes and Aesthetic Experience. *Front Neurosci*, 10, 287. doi: 10.3389/fnins.2016.00287
- Kopkow, C., Freiberg, A., Kirschner, S., Seidler, A., & Schmitt, J. (2013). Physical examination tests for the diagnosis of posterior cruciate ligament rupture: a systematic review. *J Orthop Sports Phys Ther*, 43(11), 804-813. doi: 10.2519/jospt.2013.4906
- Kopkow, C., Lange, T., Schmitt, J., & Kasten, P. (2015). Interrater reliability of the modified scapular assistance test with and without handheld weights. *Man Ther*, 20(6), 868-874. doi: 10.1016/j.math.2015.04.012
- Kopkow, C., Lange, T., Schmitt, J., & Petzold, T. (2017). [Not Available]. *Gesundheitswesen*, 79(3), 162-163. doi: 10.1055/s-0043-102137
- Kosse, N. M., Dutmer, A. L., Dasenbrock, L., Bauer, J. M., & Lamoth, C. J. (2013). Effectiveness and feasibility of early physical rehabilitation programs for geriatric hospitalized patients: a systematic review. *BMC Geriatr*, 13, 107. doi: 10.1186/1471-2318-13-107
- Kuithan, P., Heneghan, N. R., Rushton, A., Sanderson, A., & Falla, D. (2019). Lack of Exercise-Induced Hypoalgesia to Repetitive Back Movement in People with Chronic Low Back Pain. *Pain Pract*, 19(7), 740-750. doi: 10.1111/papr.12804
- Lampe, J., Borgetto, B., Groneberg, D. A., & Wanke, E. M. (2018). Prevalence, localization, perception and management of pain in dance: an overview. *Scand J Pain*, 18(4), 567-574. doi: 10.1515/sjpain-2018-0105
- Lampe, J., Groneberg, D. A., Borgetto, B., Ohlendorf, D., & Wanke, E. M. (2019). Assessment of musculoskeletal pain in dance focusing on dance-style related differences. *Phys Sportsmed*, 1-8. doi: 10.1080/00913847.2019.1613120
- Lampe, J., Groneberg, D. A., Ohlendorf, D., & Wanke, E. M. (2019). Pain in female dancers and dance teachers: Perception, assessment, and related behavior. *Scand J Med Sci Sports*, 29(4), 623-632. doi: 10.1111/sms.13387
- Lampe, J., Ohlendorf, D., Groneberg, D. A., Borgetto, B. M., & Wanke, E. M. (2018). [Musculoskeletal Pain in Dance: Prevalence, Localisation and Development Over Time in Amateur Dancers and Professional Dance Teachers]. *Sportverletz Sportschaden*. doi: 10.1055/a-0729-9239
- Lange, T., Freiberg, A., Droge, P., Lutzner, J., Schmitt, J., & Kopkow, C. (2015). The reliability of physical examination tests for the diagnosis of anterior cruciate ligament rupture-A systematic review. *Man Ther*, 20(3), 402-411. doi: 10.1016/j.math.2014.11.003
- Lange, T., Matthijs, O., Jain, N. B., Schmitt, J., Lutzner, J., & Kopkow, C. (2017). Reliability of specific physical examination tests for the diagnosis of shoulder pathologies: a systematic review and meta-analysis. *Br J Sports Med*, 51(6), 511-518. doi: 10.1136/bjsports-2016-096558

Lange, T., Rataj, E., Kopkow, C., Lutzner, J., Gunther, K. P., & Schmitt, J. (2017). Outcome Assessment in Total Knee Arthroplasty: A Systematic Review and Critical Appraisal. *J Arthroplasty*, 32(2), 653-665 e651. doi: 10.1016/j.arth.2016.09.014

Lange, T., Schmitt, J., Kopkow, C., Rataj, E., Gunther, K. P., & Lutzner, J. (2017). What Do Patients Expect From Total Knee Arthroplasty? A Delphi Consensus Study on Patient Treatment Goals. *J Arthroplasty*, 32(7), 2093-2099 e2091. doi: 10.1016/j.arth.2017.01.053

Lange, T., Struyf, F., Schmitt, J., Lutzner, J., & Kopkow, C. (2017). The reliability of physical examination tests for the clinical assessment of scapular dyskinesis in subjects with shoulder complaints: A systematic review. *Phys Ther Sport*, 26, 64-89. doi: 10.1016/j.ptsp.2016.10.006

Langenfeld, A., Bastiaenen, C., Brunner, F., & Swanenburg, J. (2018). Validation of the Orebro musculoskeletal pain screening questionnaire in patients with chronic neck pain. *BMC Res Notes*, 11(1), 161. doi: 10.1186/s13104-018-3269-x

Langenfeld, A., Bastiaenen, C., Sieben, J., Humphreys, B. K., & Swanenburg, J. (2018). Patient's Subjective Impression of Cervical Range of Motion: A Mixed-methods Approach. *Spine (Phila Pa 1976)*, 43(18), E1082-E1088. doi: 10.1097/brs.0000000000002627

Langenfeld, A., Bastiaenen, C., Sieben, J., & Swanenburg, J. (2018). Development and validation of a self-administered neck mobility assessment tool (S-ROM-Neck) in chronic neck pain patients. *Musculoskelet Sci Pract*, 37, 75-79. doi: 10.1016/j.msksp.2018.04.004

Langenfeld, A., Bohlender, J. E., Swanenburg, J., & Brockmann-Bauser, M. (2018). Cervical Spine Disability in Correlation with Subjective Voice Handicap in Patients With Voice Disorders: A Retrospective Analysis. *J Voice*. doi: 10.1016/j.jvoice.2018.10.013

Langenfeld, A., Humphreys, B. K., de Bie, R. A., & Swanenburg, J. (2015). Effect of manual versus mechanically assisted manipulations of the thoracic spine in neck pain patients: study protocol of a randomized controlled trial. *Trials*, 16, 233. doi: 10.1186/s13063-015-0763-5

Langenfeld, A., Humphreys, B. K., Swanenburg, J., & Peterson, C. K. (2015). Prognostic factors for recurrences in neck pain patients up to 1 year after chiropractic care. *J Manipulative Physiol Ther*, 38(7), 458-464. doi: 10.1016/j.jmpt.2015.06.014

Lau, M., Lebert, B., & Jung, M. (2014). ["Assessment of cancer-induced fatigue by nurses and patients in pediatric oncology"]. *Kinderkrankenschwester*, 33(3), 103-108.

Lehnen, N., Kellerer, S., Knorr, A. G., Schlick, C., Jahn, K., Schneider, E., . . . Ramaioli, C. (2018). Head-Movement-Emphasized Rehabilitation in Bilateral Vestibulopathy. *Front Neurol*, 9, 562. doi: 10.3389/fneur.2018.00562

Lilly, S., Seeber, G. H., Smith, M. P., McGaugh, J. M., James, C. R., Brismxsee, J. M., & Sizer, P. S. (2019). THE EFFECTS OF POSTERIOR TIBIAL MOBILIZATION ON MENISCAL MOVEMENT: AN IN-SITU INVESTIGATION. *Int J Sports Phys Ther*, 14(1), 32-45.

- Litschel, A., & Borgetto, B. (2005). [Advantages of cooperation with self-help organisations for out-patient physicians]. *Z Arztl Fortbild Qualitatssich*, 99(10), 617-621.
- Lluis, A., Ballenberger, N., Illi, S., Schieck, M., Kabesch, M., Illig, T., . . . Schaub, B. (2014). Regulation of TH17 markers early in life through maternal farm exposure. *J Allergy Clin Immunol*, 133(3), 864-871. doi: 10.1016/j.jaci.2013.09.030
- Lohkamp, M., Braun, C., Wasner, M., & Voigt-Radloff, S. (2014). [Potential analysis for research on physiotherapy-led treadmill training in Parkinson's disease]. *Z Evid Fortbild Qual Gesundhwes*, 108 Suppl 1, S29-35. doi: 10.1016/j.zefq.2014.09.005
- Lohkamp, M., Craven, S., Walker-Johnson, C., & Greig, M. (2009). The influence of ankle taping on changes in postural stability during soccer-specific activity. *J Sport Rehabil*, 18(4), 482-492.
- Lohkamp, M., & Small, K. (2011). Normal response to Upper Limb Neurodynamic Test 1 and 2A. *Man Ther*, 16(2), 125-130. doi: 10.1016/j.math.2010.07.008
- Luedtke, K., Adamczyk, W., Mehrtens, K., Moeller, I., Rosenbaum, L., Schaefer, A., . . . Wollesen, B. (2018). Upper cervical two-point discrimination thresholds in migraine patients and headache-free controls. *J Headache Pain*, 19(1), 47. doi: 10.1186/s10194-018-0873-z
- Luedtke, K., Starke, W., & May, A. (2018). Musculoskeletal dysfunction in migraine patients. *Cephalalgia*, 38(5), 865-875. doi: 10.1177/0333102417716934
- Luedtke, K., Szikszay, T., Adamczyk, W., & May, A. (2018). Comment on Castien et al. (2018) pressure pain thresholds over the cranio-cervical region in headache - a systematic review and meta-analysis. *J Headache Pain*, 19(1), 30. doi: 10.1186/s10194-018-0859-x
- Mahler, C., Berger, S., Pollard, K., Krisam, J., Karstens, S., Szecsenyi, J., & Krug, K. (2017). Translation and psychometric properties of the German version of the University of the West of England Interprofessional Questionnaire (UWE-IP). *J Interprof Care*, 31(1), 105-109. doi: 10.1080/13561820.2016.1227964
- Mahler, C., Berger, S. J., Karstens, S., Campbell, S., Roos, M., & Szecsenyi, J. (2015). Re-profiling today's health care curricula for tomorrow's workforce: Establishing an interprofessional degree in Germany. *J Interprof Care*, 29(4), 386-388. doi: 10.3109/13561820.2014.979980
- Mahler, C., Giesler, M., Stock, C., Krisam, J., Karstens, S., Szecsenyi, J., & Krug, K. (2016). Confirmatory factor analysis of the German Readiness for Interprofessional Learning Scale (RIPLS-D). *J Interprof Care*, 30(3), 381-384. doi: 10.3109/13561820.2016.1147023
- Mahler, C., Gutmann, T., Karstens, S., & Joos, S. (2014). Terminology for interprofessional collaboration: definition and current practice. *GMS Z Med Ausbild*, 31(4), Doc40. doi: 10.3205/zma000932
- Mahler, C., Rochon, J., Karstens, S., Szecsenyi, J., & Hermann, K. (2014). Internal consistency of the readiness for interprofessional learning scale in German health care students and professionals. *BMC Med Educ*, 14, 145. doi: 10.1186/1472-6920-14-145

March, S., Andrich, S., Drepper, J., Horenkamp-Sonntag, D., Icks, A., Ihle, P., . . . Hoffmann, F. (2019). [Good Practice Data Linkage]. *Gesundheitswesen*, *81*(8-09), 636-650. doi: 10.1055/a-0962-9933

Marschollek, M., Becker, M., Bauer, J. M., Bente, P., Dasenbrock, L., Elbers, K., . . . Haux, R. (2014). Multimodal activity monitoring for home rehabilitation of geriatric fracture patients--feasibility and acceptance of sensor systems in the GAL-NATARS study. *Inform Health Soc Care*, *39*(3-4), 262-271. doi: 10.3109/17538157.2014.931852

Marsico, P., Frontzek-Weps, V., Balzer, J., & van Hedel, H. J. (2017). Hypertonia Assessment Tool. *J Child Neurol*, *32*(1), 132-138. doi: 10.1177/0883073816671681

Marsico, P., Mitteregger, E., Balzer, J., & van Hedel, H. J. A. (2017). The Trunk Control Measurement Scale: reliability and discriminative validity in children and young people with neuromotor disorders. *Dev Med Child Neurol*, *59*(7), 706-712. doi: 10.1111/dmcn.13425

McLennan, S., Kahrass, H., Wieschowski, S., Strech, D., & Langhof, H. (2018). The spectrum of ethical issues in a Learning Health Care System: a systematic qualitative review. *Int J Qual Health Care*, *30*(3), 161-168. doi: 10.1093/intqhc/mzy005

McLennan, S., Strech, D., & Kahrass, H. (2018). Why are so few patients rating their physicians on German physician rating websites? A qualitative study. *BMC Health Serv Res*, *18*(1), 670. doi: 10.1186/s12913-018-3492-0

McLennan, S., Strech, D., Meyer, A., & Kahrass, H. (2017). Public Awareness and Use of German Physician Ratings Websites: Cross-Sectional Survey of Four North German Cities. *J Med Internet Res*, *19*(11), e387. doi: 10.2196/jmir.7581

Mehrholz, J., Elsner, B., Werner, C., Kugler, J., & Pohl, M. (2013). Electromechanical-assisted training for walking after stroke. *Cochrane Database Syst Rev*(7), CD006185. doi: 10.1002/14651858.CD006185.pub3

Mehrholz, J., Elsner, B., Werner, C., Kugler, J., & Pohl, M. (2013). Electromechanical-assisted training for walking after stroke: updated evidence. *Stroke*, *44*(10), e127-128. doi: 10.1161/strokeaha.113.003061

Mehrholz, J., Harvey, L. A., Thomas, S., & Elsner, B. (2019). Response to Letter to the Editor by Dr Cao regarding paper titled - "Is body-weight-supported treadmill training or robotic-assisted gait training superior to overground gait training and other forms of physiotherapy in people with spinal cord injury? A systematic review". *Spinal Cord*, *57*(5), 435-436. doi: 10.1038/s41393-019-0271-7

Mehrholz, J., Kugler, J., Storch, A., Pohl, M., Elsner, B., & Hirsch, K. (2015). Treadmill training for patients with Parkinson's disease. *Cochrane Database Syst Rev*(8), CD007830. doi: 10.1002/14651858.CD007830.pub3

Mehrholz, J., Kugler, J., Storch, A., Pohl, M., Hirsch, K., & Elsner, B. (2015). Treadmill training for patients with Parkinson's disease. *Cochrane Database Syst Rev*(9), CD007830. doi: 10.1002/14651858.CD007830.pub4

Mehrholtz, J., Kugler, J., Storch, A., Pohl, M., Hirsch, K., & Elsner, B. (2016). Treadmill training for patients with Parkinson Disease. An abridged version of a Cochrane Review. *Eur J Phys Rehabil Med*, 52(5), 704-713.

Mehrholtz, J., Pohl, M., & Elsner, B. (2014). Treadmill training and body weight support for walking after stroke. *Cochrane Database Syst Rev*(1), CD002840. doi: 10.1002/14651858.CD002840.pub3

Mehrholtz, J., Pohl, M., Kugler, J., Burridge, J., Muckel, S., & Elsner, B. (2015). Physical rehabilitation for critical illness myopathy and neuropathy. *Cochrane Database Syst Rev*(3), CD010942. doi: 10.1002/14651858.CD010942.pub2

Mehrholtz, J., Pohl, M., Kugler, J., & Elsner, B. (2018). The Improvement of Walking Ability Following Stroke. *Dtsch Arztebl Int*, 115(39), 639-645. doi: 10.3238/arztebl.2018.0639

Mehrholtz, J., Pohl, M., Platz, T., Kugler, J., & Elsner, B. (2018). Electromechanical and robot-assisted arm training for improving activities of daily living, arm function, and arm muscle strength after stroke. *Cochrane Database Syst Rev*, 9, CD006876. doi: 10.1002/14651858.CD006876.pub5

Mehrholtz, J., Thomas, S., Burridge, J. H., Schmidt, A., Scheffler, B., Schellin, R., . . . Elsner, B. (2016). Fitness and mobility training in patients with Intensive Care Unit-acquired muscle weakness (FITonICU): study protocol for a randomised controlled trial. *Trials*, 17(1), 559. doi: 10.1186/s13063-016-1687-4

Mehrholtz, J., Thomas, S., & Elsner, B. (2017). Treadmill training and body weight support for walking after stroke. *Cochrane Database Syst Rev*, 8, CD002840. doi: 10.1002/14651858.CD002840.pub4

Mehrholtz, J., Thomas, S., Werner, C., Kugler, J., Pohl, M., & Elsner, B. (2017). Electromechanical-assisted training for walking after stroke. *Cochrane Database Syst Rev*, 5, CD006185. doi: 10.1002/14651858.CD006185.pub4

Mehrholtz, J., Thomas, S., Werner, C., Kugler, J., Pohl, M., & Elsner, B. (2017). Electromechanical-Assisted Training for Walking After Stroke: A Major Update of the Evidence. *Stroke*. doi: 10.1161/strokeaha.117.018018

Meise, R., Ludtke, K., Probst, A., Stude, P., & Schottker-Koniger, T. (2019). [Joint position error in patients with headache : Systematic review of the literature and experimental data for patients with chronic migraine]. *Schmerz*, 33(3), 204-211. doi: 10.1007/s00482-019-0369-z

Mentschke, L., Leuteritz, K., Daneck, L., Breuer, N., Sender, A., Friedrich, M., . . . Geue, K. (2017). [Cancer and Career? - A Qualitative Study of Job Status of Young Adult Cancer Survivors]. *Psychother Psychosom Med Psychol*, 67(2), 76-82. doi: 10.1055/s-0042-122712

Mertz, M., Kahrass, H., & Strech, D. (2016). Current state of ethics literature synthesis: a systematic review of reviews. *BMC Med*, 14(1), 152. doi: 10.1186/s12916-016-0688-1

Mertz, M., Strech, D., & Kahrass, H. (2017). What methods do reviews of normative ethics literature use for search, selection, analysis, and synthesis? In-depth results from a systematic review of reviews. *Syst Rev*, 6(1), 261. doi: 10.1186/s13643-017-0661-x

- Merz, O., Wolf, U., Robert, M., Gesing, V., & Rominger, M. (2013). Validity of palpation techniques for the identification of the spinous process L5. *Man Ther*, *18*(4), 333-338. doi: 10.1016/j.math.2012.12.003
- Metz, M., Junginger, B., Henrich, W., & Baessler, K. (2017). Development and Validation of a Questionnaire for the Assessment of Pelvic Floor Disorders and Their Risk Factors During Pregnancy and Post Partum. *Geburtshilfe Frauenheilkd*, *77*(4), 358-365. doi: 10.1055/s-0043-102693
- Mitteregger, E., Marsico, P., Balzer, J., & van Hedel, H. J. (2015). Translation and construct validity of the Trunk Control Measurement Scale in children and youths with brain lesions. *Res Dev Disabil*, *45-46*, 343-352. doi: 10.1016/j.ridd.2015.08.007
- Moller, D., Ballenberger, N., Ackermann, B., & Zalpour, C. (2018). Potential Relevance of Altered Muscle Activity and Fatigue in the Development of Performance-Related Musculoskeletal Injuries in High String Musicians. *Med Probl Perform Art*, *33*(3), 147-155. doi: 10.21091/mppa.2018.3021
- Moller, D., Ballenberger, N., & Zalpour, C. (2018). The German version of the musculoskeletal pain intensity and interference questionnaire for musicians (MPIQM-G): Translation and validation in professional orchestral musicians. *Musculoskelet Sci Pract*, *37*, 1-7. doi: 10.1016/j.msksp.2018.05.005
- Morin, A. M., Eberhart, L. H., Behnke, H. K., Wagner, S., Koch, T., Wolf, U., . . . Wulf, H. (2005). Does femoral nerve catheter placement with stimulating catheters improve effective placement? A randomized, controlled, and observer-blinded trial. *Anesth Analg*, *100*(5), 1503-1510, table of contents. doi: 10.1213/01.ane.0000151160.93288.0a
- Morkisch, N., Thieme, H., & Dohle, C. (2019). How to perform mirror therapy after stroke? Evidence from a meta-analysis. *Restor Neurol Neurosci*. doi: 10.3233/rnn-190935
- Muller, M., Oberhauser, C., Fischer, U., Bartoszek, G., Saal, S., Strobl, R., . . . Grill, E. (2016). The PaArticular Scales - A new outcome measure to quantify the impact of joint contractures on activities and participation in individuals in geriatric care: Development and Rasch analysis. *Int J Nurs Stud*, *59*, 107-117. doi: 10.1016/j.ijnurstu.2016.04.002
- Nguyen, N., Thalhammer, R., Beutner, K., Saal, S., Servaty, R., Klingshirn, H., . . . Meyer, G. (2019). Effectiveness of a complex intervention to improve participation and activities in nursing home residents with joint contractures (JointConEval): study protocol of a multicentre cluster-randomised controlled trial [DRKS-ID:DRKS00015185]. *Trials*, *20*(1), 305. doi: 10.1186/s13063-019-3384-6
- Niederer, D., Schmidt, K., Vogt, L., Egen, J., Klingler, J., Hubscher, M., . . . Banzer, W. (2014). Functional capacity and fear of falling in cancer patients undergoing chemotherapy. *Gait Posture*, *39*(3), 865-869. doi: 10.1016/j.gaitpost.2013.11.014
- Nimptsch, U., Peschke, D., & Mansky, T. (2016). [Impact of quality measurement, transparency and peer review on in-hospital mortality - retrospective before-after study with 63 hospitals]. *Z Evid Fortbild Qual Gesundheitswes*, *115-116*, 10-23. doi: 10.1016/j.zefq.2016.05.007

Nowotny, J., Kasten, P., Kopkow, C., Biewener, A., & Mauch, F. (2018). Evaluation of a New Exercise Program in the Treatment of Scapular Dyskinesia. *Int J Sports Med*, 39(10), 782-790. doi: 10.1055/a-0608-4584

Oertel-Knochel, V., Mehler, P., Thiel, C., Steinbrecher, K., Malchow, B., Tesky, V., . . . Hansel, F. (2014). Effects of aerobic exercise on cognitive performance and individual psychopathology in depressive and schizophrenia patients. *Eur Arch Psychiatry Clin Neurosci*, 264(7), 589-604. doi: 10.1007/s00406-014-0485-9

Oltman, R., Neises, G., Scheible, D., Mehrtens, G., & Gruneberg, C. (2008). ICF components of corresponding outcome measures in flexor tendon rehabilitation - a systematic review. *BMC Musculoskelet Disord*, 9, 139. doi: 10.1186/1471-2474-9-139

Pasluosta, C. F., Steib, S., Klamroth, S., Gassner, H., Gossler, J., Hannink, J., . . . Eskofier, B. M. (2017). Acute Neuromuscular Adaptations in the Postural Control of Patients with Parkinson's Disease after Perturbed Walking. *Front Aging Neurosci*, 9, 316. doi: 10.3389/fnagi.2017.00316

Peschke, D. (2019). [Appropriateness of physiotherapy care in Germany: a scoping review]. *Z Evid Fortbild Qual Gesundheitswes*, 141-142, 33-44. doi: 10.1016/j.zefq.2019.03.004

Petersen, W., Ellermann, A., Gosele-Koppenburg, A., Best, R., Rembitzki, I. V., Bruggemann, G. P., & Liebau, C. (2014). Patellofemoral pain syndrome. *Knee Surg Sports Traumatol Arthrosc*, 22(10), 2264-2274. doi: 10.1007/s00167-013-2759-6

Petersen, W., Ellermann, A., Henning, J., Nehrer, S., Rembitzki, I. V., Fritz, J., . . . Liebau, C. (2019). Non-operative treatment of unicompartmental osteoarthritis of the knee: a prospective randomized trial with two different braces-ankle-foot orthosis versus knee unloader brace. *Arch Orthop Trauma Surg*, 139(2), 155-166. doi: 10.1007/s00402-018-3040-8

Petersen, W., Ellermann, A., Rembitzki, I. V., Scheffler, S., Herbort, M., Bruggemann, G. P., . . . Liebau, C. (2016). Evaluating the potential synergistic benefit of a realignment brace on patients receiving exercise therapy for patellofemoral pain syndrome: a randomized clinical trial. *Arch Orthop Trauma Surg*, 136(7), 975-982. doi: 10.1007/s00402-016-2464-2

Petersen, W., Ellermann, A., Rembitzki, I. V., Scheffler, S., Herbort, M., Sprenger, F. S., . . . Liebau, C. (2014). The Patella Pro study - effect of a knee brace on patellofemoral pain syndrome: design of a randomized clinical trial (DRKS-ID:DRKS00003291). *BMC Musculoskelet Disord*, 15, 200. doi: 10.1186/1471-2474-15-200

Petersen, W., Ellermann, A., Zantop, T., Rembitzki, I. V., Semsch, H., Liebau, C., & Best, R. (2016). Biomechanical effect of unloader braces for medial osteoarthritis of the knee: a systematic review (CRD 42015026136). *Arch Orthop Trauma Surg*, 136(5), 649-656. doi: 10.1007/s00402-015-2388-2

Petersen, W., Rembitzki, I. V., Bruggemann, G. P., Ellermann, A., Best, R., Koppenburg, A. G., & Liebau, C. (2014). Anterior knee pain after total knee arthroplasty: a narrative review. *Int Orthop*, 38(2), 319-328. doi: 10.1007/s00264-013-2081-4

- Petersen, W., Rembitzki, I. V., Koppenburg, A. G., Ellermann, A., Liebau, C., Bruggemann, G. P., & Best, R. (2013). Treatment of acute ankle ligament injuries: a systematic review. *Arch Orthop Trauma Surg*, *133*(8), 1129-1141. doi: 10.1007/s00402-013-1742-5
- Prabhu, S. B., Diermayr, G., Gysin, P., & Gordon, A. M. (2011). Coordination of fingertip forces in object transport during gait in children with hemiplegic cerebral palsy. *Dev Med Child Neurol*, *53*(9), 865-869. doi: 10.1111/j.1469-8749.2011.04061.x
- Prill, R., Michel, S., Schulz, R., & Coriolano, H. A. (2019). Body Composition and Strength Parameters in Elite Judo Athletes 5 Years after Anterior Cruciate Ligament Reconstruction. *Int J Sports Med*, *40*(1), 38-42. doi: 10.1055/a-0787-1420
- Prill, R., Schulz, R., & Michel, S. (2019). Tissue flossing: a new short-term compression therapy for reducing exercise-induced delayed-onset muscle soreness. A randomized, controlled and double-blind pilot crossover trial. *J Sports Med Phys Fitness*, *59*(5), 861-867. doi: 10.23736/s0022-4707.18.08701-7
- Raab, K., Krakow, K., Tripp, F., & Jung, M. (2016). Effects of training with the ReWalk exoskeleton on quality of life in incomplete spinal cord injury: a single case study. *Spinal Cord Ser Cases*, *2*, 15025. doi: 10.1038/scsandc.2015.25
- Ramiro, S., Page, M. J., Whittle, S. L., Huang, H., Verhagen, A. P., Beaton, D. E., . . . Buchbinder, R. (2019). The OMERACT Core Domain Set for Clinical Trials of Shoulder Disorders. *J Rheumatol*, *46*(8), 969-975. doi: 10.3899/jrheum.181070
- Rohrbach, N., Chicklis, E., & Levac, D. E. (2019). What is the impact of user affect on motor learning in virtual environments after stroke? A scoping review. *J Neuroeng Rehabil*, *16*(1), 79. doi: 10.1186/s12984-019-0546-4
- Rohrbach, N., Gulde, P., Armstrong, A. R., Hartig, L., Abdelrazeq, A., Schroder, S., . . . Hermsdorfer, J. (2019). An augmented reality approach for ADL support in Alzheimer's disease: a crossover trial. *J Neuroeng Rehabil*, *16*(1), 66. doi: 10.1186/s12984-019-0530-z
- Rosenhagen, A., Hoehn, R., Thiel, C., Vogt, L., Hofstetter, R., & Banzer, W. (2009). Performance-related workload in alpine skiing with congenital heart disease. *BMJ Case Rep*, *2009*. doi: 10.1136/bcr.04.2009.1751
- Rueda-Delgado, L. M., Heise, K. F., Daffertshofer, A., Mantini, D., & Swinnen, S. P. (2019). Age-related differences in neural spectral power during motor learning. *Neurobiol Aging*, *77*, 44-57. doi: 10.1016/j.neurobiolaging.2018.12.013
- Saal, S., Becker, C., Lorenz, S., Schubert, M., Kuss, O., Stang, A., . . . Behrens, J. (2015). Effect of a stroke support service in Germany: a randomized trial. *Top Stroke Rehabil*, *22*(6), 429-436. doi: 10.1179/1074935714z.00000000047
- Saal, S., Beutner, K., Bogunski, J., Obermuller, K., Muller, M., Grill, E., & Meyer, G. (2017). Interventions for the prevention and treatment of disability due to acquired joint contractures in older people: a systematic review. *Age Ageing*, *46*(3), 373-382. doi: 10.1093/ageing/afx026
- Saal, S., Forschner, L., Kemmann, D., Zlatosch, J., & Kallert, T. W. (2016). Is employment-focused case management effective for patients with substance use disorders? Results from a

controlled multi-site trial in Germany covering a 2-years-period after inpatient rehabilitation. *BMC Psychiatry*, 16, 279. doi: 10.1186/s12888-016-0990-7

Saal, S., Kirchner-Heklau, U., Muller, T., Wohlfarth, K., Hamzei, F., Muller, M., . . . Clewing, C. (2019). [Optimized Transition from Inpatient Stroke Rehabilitation to Home Care - Current Practice and Analysis of Factors Influencing Transition]. *Rehabilitation (Stuttg)*, 58(1), 39-49. doi: 10.1055/s-0043-124347

Saal, S., Klingshirn, H., Beutner, K., Strobl, R., Grill, E., Muller, M., & Meyer, G. (2019). Improved participation of older people with joint contractures living in nursing homes: feasibility of study procedures in a cluster-randomised pilot trial. *Trials*, 20(1), 411. doi: 10.1186/s13063-019-3522-1

Saal, S., Meyer, G., Beutner, K., Klingshirn, H., Strobl, R., Grill, E., . . . Muller, M. (2018). Development of a complex intervention to improve participation of nursing home residents with joint contractures: a mixed-method study. *BMC Geriatr*, 18(1), 61. doi: 10.1186/s12877-018-0745-z

Salhofer-Polanyi, S., Windt, J., Sumper, H., Grill, H., Essmeister, M., Diermayr, G., . . . Asenbaum-Nan, S. (2013). Benefits of inpatient multidisciplinary rehabilitation in multiple sclerosis. *NeuroRehabilitation*, 33(2), 285-292. doi: 10.3233/nre-130956

Sauer, K., Kemper, C., & Glaeske, G. (2011). Fibromyalgia syndrome: prevalence, pharmacological and non-pharmacological interventions in outpatient health care. An analysis of statutory health insurance data. *Joint Bone Spine*, 78(1), 80-84. doi: 10.1016/j.jbspin.2010.05.003

Schafer, A., Hall, T., & Briffa, K. (2009). Classification of low back-related leg pain--a proposed patho-mechanism-based approach. *Man Ther*, 14(2), 222-230. doi: 10.1016/j.math.2007.10.003

Schafer, A., Hall, T., Muller, G., & Briffa, K. (2011). Outcomes differ between subgroups of patients with low back and leg pain following neural manual therapy: a prospective cohort study. *Eur Spine J*, 20(3), 482-490. doi: 10.1007/s00586-010-1632-2

Schafer, A., Hall, T. M., Ludtke, K., Mallwitz, J., & Briffa, N. K. (2009). Interrater reliability of a new classification system for patients with neural low back-related leg pain. *J Man Manip Ther*, 17(2), 109-117. doi: 10.1179/106698109790824730

Schafer, A., Ludtke, K., Breuel, F., Gerloff, N., Knust, M., Kollitsch, C., . . . Hall, T. (2018). Validity of eyeball estimation for range of motion during the cervical flexion rotation test compared to an ultrasound-based movement analysis system. *Physiother Theory Pract*, 34(8), 622-628. doi: 10.1080/09593985.2017.1423523

Schafer, A. G., Hall, T. M., Rolke, R., Treede, R. D., Ludtke, K., Mallwitz, J., & Briffa, K. N. (2014). Low back related leg pain: an investigation of construct validity of a new classification system. *J Back Musculoskelet Rehabil*, 27(4), 409-418. doi: 10.3233/bmr-140461

Schafer, A. G. M., Joos, L. J., Roggemann, K., Waldvogel-Rocker, K., Pfungsten, M., & Petzke, F. (2017). Pain experiences of patients with musculoskeletal pain + central

- sensitization: A comparative Group Delphi Study. *PLoS One*, 12(8), e0182207. doi: 10.1371/journal.pone.0182207
- Schafer, A. G. M., Zalpour, C., von Piekartz, H., Hall, T. M., & Paelke, V. (2018). The Efficacy of Electronic Health-Supported Home Exercise Interventions for Patients With Osteoarthritis of the Knee: Systematic Review. *J Med Internet Res*, 20(4), e152. doi: 10.2196/jmir.9465
- Schlick, C., Ernst, A., Botzel, K., Plate, A., Pelykh, O., & Ilmberger, J. (2016). Visual cues combined with treadmill training to improve gait performance in Parkinson's disease: a pilot randomized controlled trial. *Clin Rehabil*, 30(5), 463-471. doi: 10.1177/0269215515588836
- Schlick, C., Joachin, M., Briceno, L., Moraga, D., & Radon, K. (2014). Occupational injuries among children and adolescents in Cusco Province: a cross-sectional study. *BMC Public Health*, 14, 766. doi: 10.1186/1471-2458-14-766
- Schlick, C., Rasoul, A., Wuehr, M., Gerth, J., Dieterich, M., Brandt, T., . . . Schniepp, R. (2017). Gait variability predicts a subset of falls in cerebellar gait disorders. *J Neurol*, 264(11), 2322-2324. doi: 10.1007/s00415-017-8634-5
- Schlick, C., Schniepp, R., Loidl, V., Wuehr, M., Hesselbarth, K., & Jahn, K. (2016). Falls and fear of falling in vertigo and balance disorders: A controlled cross-sectional study. *J Vestib Res*, 25(5-6), 241-251. doi: 10.3233/ves-150564
- Schlick, C., Struppler, A., Boetzel, K., Plate, A., & Ilmberger, J. (2012). Dynamic visual cueing in combination with treadmill training for gait rehabilitation in Parkinson disease. *Am J Phys Med Rehabil*, 91(1), 75-79. doi: 10.1097/PHM.0b013e3182389fe2
- Schmid, A. B., Hailey, L., & Tampin, B. (2018). Entrapment Neuropathies: Challenging Common Beliefs With Novel Evidence. *J Orthop Sports Phys Ther*, 48(2), 58-62. doi: 10.2519/jospt.2018.0603
- Schmidt-Kassow, M., Deusser, M., Thiel, C., Otterbein, S., Montag, C., Reuter, M., . . . Kaiser, J. (2013). Physical exercise during encoding improves vocabulary learning in young female adults: a neuroendocrinological study. *PLoS One*, 8(5), e64172. doi: 10.1371/journal.pone.0064172
- Schmidt-Kassow, M., Zink, N., Mock, J., Thiel, C., Vogt, L., Abel, C., & Kaiser, J. (2014). Treadmill walking during vocabulary encoding improves verbal long-term memory. *Behav Brain Funct*, 10, 24. doi: 10.1186/1744-9081-10-24
- Schmitt, J., Lange, T., Gunther, K. P., Kopkow, C., Rataj, E., Apfelbacher, C., . . . Lutzner, J. (2017). Indication Criteria for Total Knee Arthroplasty in Patients with Osteoarthritis - A Multi-perspective Consensus Study. *Z Orthop Unfall*, 155(5), 539-548. doi: 10.1055/s-0043-115120
- Schniepp, R., Schlick, C., Pradhan, C., Dieterich, M., Brandt, T., Jahn, K., & Wuehr, M. (2016). The interrelationship between disease severity, dynamic stability, and falls in cerebellar ataxia. *J Neurol*, 263(7), 1409-1417. doi: 10.1007/s00415-016-8142-z

- Schniepp, R., Schlick, C., Schenkel, F., Pradhan, C., Jahn, K., Brandt, T., & Wuehr, M. (2017). Clinical and neurophysiological risk factors for falls in patients with bilateral vestibulopathy. *J Neurol*, *264*(2), 277-283. doi: 10.1007/s00415-016-8342-6
- Schniepp, R., Wuehr, M., Huth, S., Pradhan, C., Schlick, C., Brandt, T., & Jahn, K. (2014). The gait disorder in downbeat nystagmus syndrome. *PLoS One*, *9*(8), e105463. doi: 10.1371/journal.pone.0105463
- Schniepp, R., Wuehr, M., Schlick, C., Huth, S., Pradhan, C., Dieterich, M., . . . Jahn, K. (2014). Increased gait variability is associated with the history of falls in patients with cerebellar ataxia. *J Neurol*, *261*(1), 213-223. doi: 10.1007/s00415-013-7189-3
- Schnitzer, S., von dem Knesebeck, O., Kohler, M., Peschke, D., Kuhlmeier, A., & Schenk, L. (2015). How does age affect the care dependency risk one year after stroke? A study based on claims data from a German health insurance fund. *BMC Geriatr*, *15*, 135. doi: 10.1186/s12877-015-0130-0
- Schomacher, J., Erlenwein, J., Dieterich, A., Petzke, F., & Falla, D. (2015). Can neck exercises enhance the activation of the semispinalis cervicis relative to the splenius capitis at specific spinal levels? *Man Ther*, *20*(5), 694-702. doi: 10.1016/j.math.2015.04.010
- Seeber, G. H., Thalhammer, C., Hahne, J., & Matthijs, O. (2018). Validation, Intrarater and Interrater Reliability Study of the Lateral-Anterior Drawer Test for Detecting Posterior Cruciate Ligament Ruptures: Study Protocol of a Prospective Controlled Single-Blinded Cross-Sectional Study. *BMJ Open*, *8*(5), e020999. doi: 10.1136/bmjopen-2017-020999
- Seeber, G. H., Wijnen, A., Lazovic, D., Bulstra, S. K., Dietz, G., van Lingen, C. P., & Stevens, M. (2017). Effectiveness of rehabilitation after a total hip arthroplasty: a protocol for an observational study for the comparison of usual care in the Netherlands versus Germany. *BMJ Open*, *7*(8), e016020. doi: 10.1136/bmjopen-2017-016020
- Seeber, G. H., Wilhelm, M. P., Windisch, G., Appell Coriolano, H. J., Matthijs, O. C., & Sizer, P. S. (2017). CADAVERIC EVALUATION OF THE LATERAL-ANTERIOR DRAWER TEST FOR EXAMINING POSTERIOR CRUCIATE LIGAMENT INTEGRITY. *Int J Sports Phys Ther*, *12*(4), 569-580.
- Seibert, K., Stiefler, S., Domhoff, D., Wolf-Ostermann, K., & Peschke, D. (2019). [A systematic review on population-based indicators of the quality of care in formal and informal provider networks and their application in health economic evaluations]. *Z Evid Fortbild Qual Gesundheitswes*, *144-145*, 7-23. doi: 10.1016/j.zefq.2019.06.004
- Simon-Martinez, C., Mailleux, L., Ortibus, E., Fehrenbach, A., Sgandurra, G., Cioni, G., . . . Klingels, K. (2018). Combining constraint-induced movement therapy and action-observation training in children with unilateral cerebral palsy: a randomized controlled trial. *BMC Pediatr*, *18*(1), 250. doi: 10.1186/s12887-018-1228-2
- Steib, S., Klamroth, S., Gassner, H., Pasluosta, C., Eskofier, B., Winkler, J., . . . Pfeifer, K. (2017). Perturbation During Treadmill Training Improves Dynamic Balance and Gait in Parkinson's Disease: A Single-Blind Randomized Controlled Pilot Trial. *Neurorehabil Neural Repair*, *31*(8), 758-768. doi: 10.1177/1545968317721976

- Steib, S., Klamroth, S., Gassner, H., Pasluosta, C., Eskofier, B., Winkler, J., . . . Pfeifer, K. (2019). Exploring gait adaptations to perturbed and conventional treadmill training in Parkinson's disease: Time-course, sustainability, and transfer. *Hum Mov Sci*, *64*, 123-132. doi: 10.1016/j.humov.2019.01.007
- Strech, D., Kahrs, H., & Hirschberg, I. (2015). Research Guideline Recommendations for Broad Consent Forms in Biobank Research and How They Are Currently Addressed in Practice. *Am J Bioeth*, *15*(9), 60-63. doi: 10.1080/15265161.2015.1062169
- Swanenburg, J., Humphreys, K., Langenfeld, A., Brunner, F., & Wirth, B. (2014). Validity and reliability of a German version of the Neck Disability Index (NDI-G). *Man Ther*, *19*(1), 52-58. doi: 10.1016/j.math.2013.07.004
- Swanenburg, J., Meier, M. L., Langenfeld, A., Schweinhardt, P., & Humphreys, B. K. (2018). Spinal Stiffness in Prone and Upright Postures During 0-1.8 g Induced by Parabolic Flight. *Aerosp Med Hum Perform*, *89*(6), 563-567. doi: 10.3357/amhp.5031.2018
- Szecs, J., Schlick, C., Schiller, M., Pollmann, W., Koenig, N., & Straube, A. (2009). Functional electrical stimulation-assisted cycling of patients with multiple sclerosis: biomechanical and functional outcome--a pilot study. *J Rehabil Med*, *41*(8), 674-680. doi: 10.2340/16501977-0397
- Szikszay, T., Hall, T., & von Piekartz, H. (2017). In vivo effects of limb movement on nerve stretch, strain, and tension: A systematic review. *J Back Musculoskeletal Rehabil*, *30*(6), 1171-1186. doi: 10.3233/bmr-169720
- Szikszay, T. M., Hoenick, S., von Korn, K., Meise, R., Schwarz, A., Starke, W., & Luedtke, K. (2019). Which Examination Tests Detect Differences in Cervical Musculoskeletal Impairments in People With Migraine? A Systematic Review and Meta-Analysis. *Phys Ther*, *99*(5), 549-569. doi: 10.1093/ptj/pzz007
- Szikszay, T. M., Luedtke, K., & Harry von, P. (2018). Increased mechanosensitivity of the greater occipital nerve in subjects with side-dominant head and neck pain - a diagnostic case-control study. *J Man Manip Ther*, *26*(4), 237-248. doi: 10.1080/10669817.2018.1480912
- Tampin, B., Briffa, N. K., Goucke, R., & Slater, H. (2013). Identification of neuropathic pain in patients with neck/upper limb pain: application of a grading system and screening tools. *Pain*, *154*(12), 2813-2822. doi: 10.1016/j.pain.2013.08.018
- Tampin, B., Briffa, N. K., Hall, T., Lee, G., & Slater, H. (2012). Inter-therapist agreement in classifying patients with cervical radiculopathy and patients with non-specific neck-arm pain. *Man Ther*, *17*(5), 445-450. doi: 10.1016/j.math.2012.05.001
- Tampin, B., Broe, R. E., Seow, L. L., George, S. G., Tan, J., Menon, R., . . . Slater, H. (2019). Field testing of the revised neuropathic pain grading system in a cohort of patients with neck and upper limb pain. *Scand J Pain*, *19*(3), 523-532. doi: 10.1515/sjpain-2018-0348
- Tampin, B., Royle, J., Bharat, C., Trevenen, M., Olsen, L., & Goucke, R. (2019). Psychological factors can cause false pain classification on painDETECT. *Scand J Pain*, *19*(3), 501-512. doi: 10.1515/sjpain-2018-0355

Tampin, B., Slater, H., & Briffa, N. K. (2013). Neuropathic pain components are common in patients with painful cervical radiculopathy, but not in patients with nonspecific neck-arm pain. *Clin J Pain*, 29(10), 846-856. doi: 10.1097/AJP.0b013e318278d434

Tampin, B., Slater, H., Hall, T., Lee, G., & Briffa, N. K. (2012). Quantitative sensory testing somatosensory profiles in patients with cervical radiculopathy are distinct from those in patients with nonspecific neck-arm pain. *Pain*, 153(12), 2403-2414. doi: 10.1016/j.pain.2012.08.007

Tampin, B., Vollert, J., & Schmid, A. B. (2018). Sensory profiles are comparable in patients with distal and proximal entrapment neuropathies, while the pain experience differs. *Curr Med Res Opin*, 34(11), 1899-1906. doi: 10.1080/03007995.2018.1451313

Thiel, C., Braun, T., & Gruneberg, C. (2019). [Physical training as core component of multimodal treatment of older frail people-study protocol of a randomized controlled pilot study]. *Z Gerontol Geriatr*, 52(1), 45-60. doi: 10.1007/s00391-018-1443-3

Thiel, C., Vogt, L., Burklein, M., Rosenhagen, A., Hubscher, M., & Banzer, W. (2011). Functional overreaching during preparation training of elite tennis professionals. *J Hum Kinet*, 28, 79-89. doi: 10.2478/v10078-011-0025-x

Thiel, C., Vogt, L., Tesky, V. A., Meroth, L., Jakob, M., Sahlender, S., . . . Banzer, W. (2012). Cognitive intervention response is related to habitual physical activity in older adults. *Aging Clin Exp Res*, 24(1), 47-55. doi: 10.3275/7569

Thieme, H., Bayn, M., Wurg, M., Zange, C., Pohl, M., & Behrens, J. (2013). Mirror therapy for patients with severe arm paresis after stroke--a randomized controlled trial. *Clin Rehabil*, 27(4), 314-324. doi: 10.1177/0269215512455651

Thieme, H., & Borgetto, B. (2012). Utilisation of rheumatology care services in Germany: the case of physical therapy and self-help groups. *Psychosoc Med*, 9, Doc08. doi: 10.3205/psm000086

Thieme, H., Mehrholz, J., Pohl, M., Behrens, J., & Dohle, C. (2013). Mirror therapy for improving motor function after stroke. *Stroke*, 44(1), e1-2. doi: 10.1161/strokeaha.112.673087

Thieme, H., Morkisch, N., Mehrholz, J., Pohl, M., Behrens, J., Borgetto, B., & Dohle, C. (2019). Mirror Therapy for Improving Motor Function After Stroke. *Stroke*, 50(2), e26-e27. doi: 10.1161/strokeaha.118.023092

Thieme, H., Morkisch, N., Rietz, C., Dohle, C., & Borgetto, B. (2016). The Efficacy of Movement Representation Techniques for Treatment of Limb Pain--A Systematic Review and Meta-Analysis. *J Pain*, 17(2), 167-180. doi: 10.1016/j.jpain.2015.10.015

Thieme, H., Ritschel, C., & Zange, C. (2009). Reliability and validity of the functional gait assessment (German version) in subacute stroke patients. *Arch Phys Med Rehabil*, 90(9), 1565-1570. doi: 10.1016/j.apmr.2009.03.007

Thomas, S., Mehrholz, J., Bodechtel, U., & Elsner, B. (2019). Effect of physiotherapy on regaining independent walking in patients with intensive-care-unit-acquired muscle weakness: A cohort study. *J Rehabil Med*. doi: 10.2340/16501977-2606

Tomlin, G., & Borgetto, B. (2011). Research Pyramid: a new evidence-based practice model for occupational therapy. *Am J Occup Ther*, 65(2), 189-196. doi: 10.5014/ajot.2011.000828

Topp, J., Westenhofer, J., Scholl, I., & Hahlweg, P. (2018). Shared decision-making in physical therapy: A cross-sectional study on physiotherapists' knowledge, attitudes and self-reported use. *Patient Educ Couns*, 101(2), 346-351. doi: 10.1016/j.pec.2017.07.031

Ulrich, G., Homberg, A., Karstens, S., Goetz, K., & Mahler, C. (2019). [Job Satisfaction of Young Professionals in Health Care]. *Gesundheitswesen*, 81(2), 99-105. doi: 10.1055/s-0043-107873

Verheyden, G., Handgraaf, M., Demirci, A., & Gruneberg, C. (2011). The future of physiotherapy education: towards a translational model of learning complex skills. *Physiother Res Int*, 16(4), 187-190. doi: 10.1002/pri.519

von Piekartz, H., & Ludtke, K. (2011). Effect of treatment of temporomandibular disorders (TMD) in patients with cervicogenic headache: a single-blind, randomized controlled study. *Cranio*, 29(1), 43-56. doi: 10.1179/crn.2011.008

von Piekartz, H., Pudelko, A., Danzeisen, M., Hall, T., & Ballenberger, N. (2016). Do subjects with acute/subacute temporomandibular disorder have associated cervical impairments: A cross-sectional study. *Man Ther*, 26, 208-215. doi: 10.1016/j.math.2016.09.001

Walkenhorst, U., Mahler, C., Aistleithner, R., Hahn, E. G., Kaap-Frohlich, S., Karstens, S., . . . Sottas, B. (2015). Position statement GMA Committee--"Interprofessional Education for the Health Care Professions". *GMS Z Med Ausbild*, 32(2), Doc22. doi: 10.3205/zma000964

Wieschowski, S., Riedel, N., Wollmann, K., Kahrass, H., Muller-Ohlraun, S., Schurmann, C., . . . Strech, D. (2019). Result dissemination from clinical trials conducted at German university medical centers was delayed and incomplete. *J Clin Epidemiol*, 115, 37-45. doi: 10.1016/j.jclinepi.2019.06.002

Wijnen, A., Bouma, S. E., Seeber, G. H., van der Woude, L. H. V., Bulstra, S. K., Lazovic, D., . . . van den Akker-Scheek, I. (2018). The therapeutic validity and effectiveness of physiotherapeutic exercise following total hip arthroplasty for osteoarthritis: A systematic review. *PLoS One*, 13(3), e0194517. doi: 10.1371/journal.pone.0194517

Wilhelm, M., Matthijs, O., Browne, K., Seeber, G., Matthijs, A., Sizer, P. S., . . . Gilbert, K. K. (2017). DEFORMATION RESPONSE OF THE ILIOTIBIAL BAND-TENSOR FASCIA LATA COMPLEX TO CLINICAL-GRADE LONGITUDINAL TENSION LOADING IN-VITRO. *Int J Sports Phys Ther*, 12(1), 16-24.

Wuehr, M., Schniepp, R., Schlick, C., Huth, S., Pradhan, C., Dieterich, M., . . . Jahn, K. (2014). Sensory loss and walking speed related factors for gait alterations in patients with peripheral neuropathy. *Gait Posture*, 39(3), 852-858. doi: 10.1016/j.gaitpost.2013.11.013

Zhu, G. C., Bottger, K., Slater, H., Cook, C., Farrell, S. F., Hailey, L., . . . Schmid, A. B. (2019). Concurrent validity of a low-cost and time-efficient clinical sensory test battery to evaluate somatosensory dysfunction. *Eur J Pain*. doi: 10.1002/ejp.1456

Zoremba, M., Dette, F., Gerlach, L., Wolf, U., & Wulf, H. (2009). Short-term respiratory physical therapy treatment in the PACU and influence on postoperative lung function in obese adults. *Obes Surg*, 19(10), 1346-1354. doi: 10.1007/s11695-009-9922-7